CUMULATIVE AUTHOR INDEX

Annals of the Entomological Society of America, Volume 81, 1988

Adams, J.L., 50
Addicott, J.F., 245
Adler, C.R.L., 682
Adler, P.H., 682
Agee, H.R., 977, 986
Akey, D.H., 950
Aliniazee, M.T., 6
Alward, R., 240
Antolin, M.F., 245
Arbogast, R.T., 899
Arnold, J., 50
Atkinson, T.H., 255
Axtell, R.C., 209

Banks, D.J., 128
Banks, W.A., 642, 808
Barnby, M.A., 437
Barrett, B.A, 516
Beach, R.M., 943
Beck, S.D., 831, 964
Beedlow, P.A., 782
Berenbaum, M.R., 485
Boiteau, G., 428
Borkent, A., 503
Braman, S.K., 923
Brenner, R.J., 432, 581, 711
Brunner, J.F., 516
Burdick, D.J., 605, 626
Buschman, L.L., 82
Butler, G.D., 950

Campobasso, G., 225
Cane, J.H., 419
Carlson, D.A., 711
Carroll, S.P., 54
Cave, R.D., 278
Cohen, A.C., 919
Collinge, S.K., 733
Conner, W.E., 798
Connor, M.D., 255
Coudron, T.A., 931
Crosland, M.W.J., 481, 844
Crossley, D.A. Jr., 593
Culin, J.D., 822

Dahl, C., 105
Danforth, B.N., 342
Demianyk, C.J., 449
Dennis, D.S., 851
Dickens, J.C., 325
Dubach, J.M., 132
Dunn, P.H., 225

Edelson, J.V., 252

Ferkovich, S.M., 152
Flores, J.E., 403
Foltz, J.L., 255
Fontdevila, A., 380
Forbes, G.S., 554
Funk, D.H., 174

Gabrielson, D.A., 954
Gagne, R.J., 447
Gary, N.E., 700
Gaylor, M.J., 278
Gilbert, L.E., 913
Glancey, B.M., 642, 808
Gollands, B., 748, 755, 764
Got, B., 91
Greene, E., 532

Hagan, D.V., 332
Hagstrum, D.W., 539
Hamilton, R.L., 969
Hansen, J.D., 599
Hargrove, W.W., 593
Harrington, B.J., 577
Hart, W.G., 325
Hassage, R.L., 528
Hasson, E., 380
Heath, R.R., 1021
Hendrichs, J.P., 403
Hennessey, M.K., 209
Hessein, N.A., 488
Hosbeke, E.R., 493
Holzenthal, R.W., 187
Howard, D.J., 50
Howard, R.W., 395

Itagaki, H., 798

Jackson, C.G., 919
Jang, E.B., 325
Joern, A., 240
Johnson, J.A., 822
Johnson, M.W., 477
Johnson, N.F., 870
Johnson, O.A., 954
Jones, S.R., 511
Jones, W.A., 262

Kambhampati, S., 1010
Kaufmann, T., 71
Kim, K.C., 164, 511
King, P.S., 890
Kirchner, R.F., 19
Knutson, L, 851
Koehler, P.G., 432
Kondratieff, B.C., 19
Kosztarab, M., 724

LaChance, L.E., 292, 301
Lambdin, P., 724
Lanier, G.N., 403
Lawrence, P.O., 233
Lee, Y.H., 938
Legner, E.F., 522, 657, 774
Leigh, T.F., 64
Lentz, D.L., 371
Levings, S.C., 395
Liebherr, J.K., 157
Light, D.M., 325
Lorenzen, K., 700
Louda, S.M., 733

Mackauer, M., 1010
Maier, C.T., 460, 728
Maketon, M., 689
Malavasi, A., 1004
Mangan, R.L., 649
Marti, O.G., 308
Mayo, Z B, 128
McDaniel, C.A., 395
McDonald, I.C., 954
McInnis, D.O., 498
McKeever, S., 332, 400
Menon, M., 836
Messing, R.H., 6
Michener, C.D., 342, 377
Milliken, G.A., 539
Mitter, C., 10
Moffett, M.W., 356
Morel, L., 705
Mullen, M.A., 899

Nalepa, C.A., 637
Naveira, H., 380
Nelson, C.H., 560
Nilsson, C., 105
Nitao, J.K., 485
Norrbom, A.L., 164
Nowak, R.S., 599

O'Brien, L.B., 865
Obin, M.S., 808
Obrycki, J.J., 748, 755, 764
Okuda, M.S., 1017
Olstad, G., 292, 301
Orona, E., 977, 986
Orsak, L., 532

Pappas, L.G., 274
Parker, F.D., 467
Patterson, R.S., 432
Payne, J.A., 419
Pellmyr, O., 792
Perring, T.M., 488
Petcharat, J., 477
Pla, C., 380
Polhemus, D.A., 742
Porter, D., 913
Porter, S.D., 777
Powell, J.A., 547
Pratt, H.D., 882
Putnam, S.J., 836
Puttler, B., 931

Radin, J.W., 950
Resh, V.H., 437
Resurreccion, A.M., 286
Richman, D.B., 132
Rizza, A., 225
Rogers, C.E., 308
Rogers, L.E., 782
Rosenthal, H., 350
Ross, M.H., 362
Rossler, Y., 350
Rowley, W.A., 286
Ruiz, A., 380
Rust, R.W., 99
Rutz, D.A., 493
Ruud, S.K., 954

Sanchez, A., 380
Saul, S.H., 498
Schaefer, C.H., 816
Schal, C., 969
Scholl, P.J., 318
Shambaugh, G.F., 1
Sheldon, J.K., 782
Sheppard, W.S., 886
Showers, W.B., 286
Singh, R.P., 428
Sinha, R.N., 449
Sivinski, J., 1021
Stark, B.P., 371
Starks, K.J., 128
Stazi, M., 225
Steck, G.J., 994, 1004
Stewart, K.W., 19, 528, 689
Stoffolano, J.G. Jr., 503
Strand, M.R., 822
Summers, C.G., 816
Sweeney, B.W., 174
Szczytko, S.W., 689

Talekar, N.S., 938
Tam, S.Y.T., 498
Tauber, C.A., 748, 755, 764
Tauber, M.J., 748, 755, 764
Taylor, S.J., 537
Tepedino, V.J., 467
Thomas, D.B. Jr., 28
Thorne, B.L., 395
Tignor, K.R., 362
Tilden, R.L., 152
Todd, J.W., 943
Torchio, P.F., 605, 626
Trichilo, P.J., 64
Trostle, G.E., 605
Tschinkel, W.R., 76, 777
Turner, R.B., 132
Turner, W.J., 516

Van Eimeren, B., 913
Vander Meer, R.K., 705, 808
Vannote, R.L., 174
Veal, R.A., 128
Verdugo, C.L., 919

Wagner, D.L., 547
Walker, G.P., 365
Walter, D.E., 386

Warkentin, R.W., 774
Wasserman, M., 380
Webster, R.P., 138
Weintraub, J., 318
Wellso, S.G., 50
Wharton, R.A., 994
Whitman, D.W., 532
Widahl, L.-E., 105
Williams, R.N., 1
Wise, G.U., 209
Woodley, N.E., 503, 782
Woods, W.M., 447
Woodson, W.D., 252
Wright, M.D., 332
Wright, R.J., 748, 755, 764

Yeargan, K.V., 923, 1017
Yin, L.R.S., 503
Yonke, T.R., 28

Zeigler, D.D., 528

CUMULATIVE KEY WORD INDEX

Annals of the Entomological Society of America, Volume 81, 1988

Abdominal plaques, phylogeny, 503
  tonofibrillae, 503
Acari, alternate foods, 488
  Arachnida, 209, 488
  manure mite, 209
  predation, 488
  systematics, 209
Acoustics, behavior, 689
  drumming, 528, 689
  Plecoptera, 528
Adult longevity, immature development, 943
  laboratory adaptation, 943
Aestivation, phenology, 748
  photoperiod, 748
Agavaceae, female-biased sex ratio, 547
  prolonged diapause, 547
Age structure, modeling, 539
  stored-product Coleoptera, 539
Agrotis ipsilon, diapause, 964
  thermoperiod, 964
Alternate foods, Acari, 488
  Arachnida, 488
  predation, 488
Amyelois density, *Goniozus*, 774
  parasitization, 774
Anastrepha, immatures, 994, 1004
  Tephritidae, 994, 1004
Anastrepha suspensa, *Biosteres longicaudatus*, 233
  superparasitism, 233
Anthophoridae, *Nesomelecta*, 377
  Xeromelecta, 377
Ants, brood, 705
  pheromones, 705
Aphid parasites, *Myzocallis coryli*, 6
  Trioxys pallidus, 6
Aphididae, habitat selection, 245
  survival, 245
Aphidius, biological control, 1010
  morphometrics, 1010
Aphis gossypii, *Gossypium hirsutum*, 950
  survival, 950
Apis mellifera, honey bees, 700
  introduced populations, 886
  races, 886
  substage illumination device, 700
Arachnida, Acari, 209, 488
  alternate foods, 488
  arrhenotoky, 386
  grassland soil, 386
  manure mite, 209
  nematophagy, 386
  predation, 488
  systematics, 209
Aradidae, behavior, 537
  orientation, 537
Araneae, mimicry, 532
  predation, 532
Arrestment, molt inhibition, 931
  parasitism, 931
Arrhenotoky, Arachnida, 386
  grassland soil, 386
  nematophagy, 386
Artificial diet, laboratory rearing, 485
  Pastinaca sativa, 485
Asian cockroach, habitats, 432
  spatial distribution, 432
Asilidae, *Efferia*, 554
  new species, 554
Auditory processing, neural circuits, 977
  noctuid moths, 977
Axial filament, membranes, 292, 301
  mitochondrial derivative, 292, 301

Banasa, Neotropical Region, 28
  Pentatomidae, 28
Behavior, acoustics, 689
  Aradidae, 537
  bioassay, 844
  corn earworm, 682
  drumming, 689
  German cockroach, 362
  heterosis, 657
  Hymenoptera, 657
  kin recognition, 844
  orientation, 537
  pheromones, 362
  time budget, 682
Bioassay, behavior, 844
  kin recognition, 844
Biochemical genetics, heterozygosity, 174
  taxonomy, 174
Biocontrol, galls, 447
  parasites, 447
Biological control, *Aphidius*, 1010
  biology, 477
  Cheilosia corydon, 225
  Ganaspidium utilis, 477
  morphometrics, 1010
  Nezara viridula, 262
  parasitoids, 262
  thistle, 225
Biology, biological control, 477
  classification, 851
  coevolution, 626
  damsel bugs, 923
  embryogenesis, 605
  Epeolus, 626
  Ganaspidium utilis, 477
  phylogenetics, 605
  physiological ecology, 919
  predators, 923
  systematics, 851
  taxonomy, 851
  trace element, 919
Biosteres longicaudatus, *Anastrepha suspensa*, 233
  superparasitism, 233
Biosystematics, *Dendroctonus frontalis* complex, 403
  distribution, 403
Blaberidae, Blattellidae, 882
  Blattidae, 888
  Cryptocercidae, 882
  Polyphagidae, 882
Black cutworm, flight mill, 286
  microcomputer, 286
Blattaria, ootheca, 637
  spermatophore, 637
Blattella germanica, compensation, 969
  feeding, 969
Blattellidae, Blaberidae, 882
  Blattidae, 882
  Cryptocercidae, 882
  Polyphagidae, 882
Blattidae, Blaberidae, 882
  Blattellidae, 882
  Cryptocercidae, 882
  Polyphagidae, 882
Blood-feeding, Cleradini, 577
  Lygaeidae, 577
Body color, Formicidae, 481
  parasites, 481
Body size, brachyptery, 157
  Carabidae, 157
Bombus, foraging behavior, 792
  pollen flowers, 792
Brachyptery, body size, 157
  Carabidae, 157
Brood, ants, 705
  pheromones, 705

Calling behavior, *Manduca sexta*, 798
  Platynota stultana, 138
  pheromone gland, 798
  temperature, 138
Cannibalism, development, 836
  growth, 836
Carabidae, body size, 157
  brachyptery, 157
Catocala, internal reproductive tract, 10
  taxonomy, 10
Ceratitis capitata, genetic markers, 498
  mating, 498
Cheilosia corydon, biological control, 225
  thistle, 225
Chemoreceptors, fruit flies, 325
  mechanoreceptors, 325
Chemosystematics, gas chromatography, 395
  taxonomy, 395
Citrus, feeding behavior, 365
  leaf cuticle, 365
CLIQUE, PENNY, 560
  stonefly, 560
Classification, biology, 851
  comparative morphology, 870
  locomotion, 870
  systematics, 851
  taxonomy, 851
Cleradini, blood-feeding, 577
  Lygaeidae, 577
Coccoidea, *Psoraleococcus*, 724
  pit scale, 724
Coevolution, biology, 626
  Epeolus, 626

Collops, population biology, 890
Communication, conditional strategy, 1021
mating behavior, 1021
Community ecology, population dynamics, 899
stored products, 899
Comparative morphology, classification, 870
locomotion, 870
Compensation, *Blattella germanica*, 969
feeding, 969
Competition, polygyne colonies, 913
Solenopsis invicta, 913
Conditional strategy, communication, 1021
mating behavior, 1021
Corethrella metcalfi, sensillum pediconicum, 400
Corn earworm, behavior, 682
time budget, 682
Cryptocercidae, Blaberidae, 882
Blattellidae, 882
Blattidae, 882
Polyphagidae, 882
Culicidae, feeding behavior, 274
larvae, 105
sensory physiology, 274
suspension feeding, 105
Culicoides, sand flies, 332
Cutworm, dormancy, 831
thermoperiod, 831
Cytogenetics, discriminant analyses, 128
Schizaphis graminum, 128

Daktulosphaira vitifoliae, foliar grape phylloxera, 1
grape phylloxera biotypes, 1
Damsel bugs, biology, 923
predators, 923
Darkling beetles, dietary niches, 782
Tenebrionidae, 782
Defensive gland, *Spodoptera frugiperda*, 308
ventral eversible gland, 308
Dendroctonus frontalis complex, biosystematics, 403
distribution, 403
Development, cannibalism, 836
growth, 822, 836
Listronotus texanus, 252
parasitoids, 822
Pinus, 255
slash pine, 255
temperature, 252
Diapause, *Agrotis ipsilon*, 964
Hypera brunneipennis, 816
lipids, 816
parental investment, 467
size, 467
thermoperiod, 964
Diapause termination, phenology, 764
photoperiod, 764
Dietary niches, darkling beetles, 782
Tenebrionidae, 782
Digitizer, leaf area, 593
planimeter, 593
Discriminant analyses, cytogenetics, 128
Schizaphis graminum, 128
Distribution, biosystematics, 403
Dendroctonus frontalis complex, 403
fire ants, 76
habitat preference, 76
Dormancy, cutworm, 831
thermoperiod, 831
Drosophila koepferae, genetic distance, 380
reproductive isolation, 380
Drumming, acoustics, 528
acoustics, 689
behavior, 689
Plecoptera, 528
Drumming calls, *Perlinella*, 19
taxonomy, 19

Efferia, Asilidae, 554
new species, 554
Efficiency, energy budget, 449
stored corn, 449
Electrophoresis, genetics, 954
geographical variation, 132
Hemileuca oliviae, 132
isozyme, 954
Mayetiola destructor, 50
monomorphism, 50
Embryogenesis, biology, 605
phylogenetics, 605
Emergence, resistance, 428
trichome, 428
Energy budget, efficiency, 449
stored corn, 449
Epeolus, biology, 626
coevolution, 626
Ephydra goedeni, Ephydridae, 437
Paracoenia calida, 437
Ephydridae, *Ephydra goedeni*, 437
Paracoenia calida, 437
Eulophidae, *Pholetesor ornigis*, 460
Sympiesis marylandensis, 460

Feeding, *Blattella germanica*, 969
compensation, 969
Feeding behavior, citrus, 365
Culicidae, 274
leaf cuticle, 365
sensory physiology, 274
Felt chamber, plastron, 511
scanning electron microscopy, 511
Female-biased sex ratio, Agavaceae, 547
prolonged diapause, 547
Fenoxycarb, ovaries, 642
queen pheromones, 808
Solenopsis invicta, 642, 808
Fertilization, Heteroceridae, 71
spermatozoa, 71
Fire ants, distribution, 76
habitat preference, 76
Flight mill, black cutworm, 286
microcomputer, 286
Foliar grape phylloxera, *Daktulosphaira vitifoliae*, 1
grape phylloxera biotypes, 1
Foliar nitrogen, host selection, 240
Phoetaliotes nebrascensis, 240
Foraging behavior, *Bombus*, 792
pollen flowers, 792
Formicidae, body color, 481
parasites, 481
Franklinella occidentalis, *Gossypium*, 64
plant resistance, 64
Fruit flies, chemoreceptors, 325
mechanoreceptors, 325
ovipositor, 164
sexual dimorphism, 164

Galls, biocontrol, 447
parasites, 447
Ganaspidium utilis, biological control, 477
biology, 477
Gas chromatography, chemosystematics, 395
taxonomy, 395
Genetic distance, *Drosophila koepferae*, 380
reproductive isolation, 380
Genetic markers, *Ceratitis capitata*, 498
mating, 498
Genetics, electrophoresis, 954
isozyme, 954
Mediterranean fruit fly, 350
mutations, 350
Geocoris punctipes, survival, 278
Telenomus reynoldsi, 278
Geographic variation, *Jadera*, 54
life history, 54
Geographical variation, electrophoresis, 132
Hemileuca oliviae, 132
Leptinotarsa decemlineata, 755
phenology, 755
German cockroach, behaviro, 362
pheromones, 362
Goniozus, *Amyelois* density, 774
parasitization, 774
Gonotrophic development, *Hypoderma*, 318
reproduction, 318
Gossypium, *Franklinella occidentalis*, 64
plant resistance, 64
Gossypium hirsutum, *Aphis gossypii*, 950
survival, 950
Gracillariidae, leafminer, 728
parasitism, 728
Grape phylloxera biotypes, *Daktulosphaira vitifoliae*, 1
foliar grape phylloxera, 1
Grass bug, wheatgrass, 599
wildrye, 599
Grassland soil, Arachnida, 386
arrhenotoky, 386
nematology, 386
Group hunting, *Pheidologeton silenus*, 356
raid velocity, 356
Growth, cannibalism, 836
development, 822, 836
parasitoids, 822

Habitat preference, distribution, 76
fire ants, 76
Habitat selection, Aphididae, 245
survival, 245
Habitats, Asian cockroach, 432
spatial distribution, 432
Habropoda, pollination, 419
Vaccinium, 419
Head capsule width, instar discrimination, 91
Ostrinia nubilalis, 91
Heliothis, *Microplitis*, 152
oviposition, 152
Heliothis zea, motoneurons, 986
wing innervation, 986
Hemileuca oliviae, electrophoresis, 132
geographical variation, 132
Herbivory, leafminer, 733
plant-insect interaction, 733
Heteroceridae, fertilization, 71
spermatozoa, 71
Heterosis, behavior, 657
Hymenoptera, 657
Heterozygosity, biochemical genetics, 174
taxonomy, 174
Honey bees, *Apis mellifera*, 700
substage illumination device, 700
Host plants, longevity, 938
oviposition, 938

Host selection, foliar nitrogen, 240
Phoetaliotes nebrascensis, 240
House fly, pupal parasitoids, 493
stable fly, 493
Hymenoptera, behavior, 657
heterosis, 657
mimicry, 342
wing morphology, 342
Hypera brunneipennis, diapause, 816
lipids, 816
Hypoderma, gonotrophic development, 318
reproduction, 318

Immature development, adult longevity, 943
laboratory adaptation, 943
Immatures, *Anastrepha*, 994, 1004
Tephritidae, 994, 1004
Inheritance, oviposition, 522
parasites, 522
Instar discrimination, head capsule width, 91
Ostrinia nubilalis, 91
Internal reproductive tract, *Catocala*, 10
taxonomy, 10
Intraspecific host discrimination, *Telenomus podisi*, 1017
Trissolcus euschisti, 1017
Introduced populations, *Apis mellifera*, 886
races, 886
Introduced species, key, 865
Isozyme, electrophoresis, 954
genetics, 954

Jadera, geographic variation, 54
life history, 54
Juniper, phytochemistry, 742
sexual variation, 742

Key, introduced species, 865
Kin recognition, behavior, 844
bioassay, 844

Laboratory adaptation, adult longevity, 943
immature development, 943
Laboratory rearing, artificial diet, 485
Pastinaca sativa, 485
Larrea tridentata, *Nomadopsis larreae*, 99
nesting biology, 99
Larvae, Culicidae, 105
suspension feeding, 105
Larval development, *Pyractomena lucifera*, 82
photoperiod, 82
Leaf area, digitizer, 593
planimeter, 593
Leaf cuticle, citrus, 365
feeding behavior, 365
Leafminer, Gracillariidae, 728
herbivory, 733
parasitism, 728
plant-insect interaction, 733
Leptinotarsa decemlineata, geographical variation, 755
phenology, 755
Leptoceridae, Neotropics, 187
Triplectides, 187
Life history, geographic variation, 54
Jadera, 54
Lipids, diapause, 816
Hypera brunneipennis, 816
Listronotus texanus, development, 252
temperature, 252
Locomotion, classification, 870
comparative morphology, 870
Longevity, host plants, 938
oviposition, 938
Lygaeidae, blood-feeding, 577
Cleradini, 577

Manduca sexta, calling behavior, 798
pheromone gland, 798
Manure mite, Acari, 209
Arachnida, 209
systematics, 209
Mating, *Ceratitis capitata*, 498
genetic markers, 498
Mating behavior, communication, 1021
conditional strategy, 1021
pedigree, 649
screwworm, 649
Mayetiola destructor, electrophoresis, 50
monomorphism, 50
Mechanoreceptors, chemoreceptors, 325
fruit flies, 325
Mediterranean fruit fly, genetics, 350
mutations, 350
Membranes, axial filament, 292, 301
mitochondrial derivative, 292, 301
Microcomputer, black cutworm, 286
flight mill, 286
Microplitis, *Heliothis*, 152
oviposition, 152
Mimicry, Araneae, 532
Hymenoptera, 342
predation, 532
wing morphology, 342
Mitochondrial derivative, axial filament, 292, 301
membranes, 292, 301

Modeling, age structure, 539
stored-product Coleoptera, 539
Molt inhibition, arrestment, 931
parasitism, 931
Monomorphism, electrophoresis, 50
Mayetiola destructor, 50
Morphology, parasitoids, 516
variation, 516
Morphometrics, *Aphidius*, 1010
biological control, 1010
Motoneurons, *Heliothis zea*, 986
wing innervation, 986
Mutations, genetics, 350
Mediterranean fruit fly, 350
Myzocallis coryli, aphid parasites, 6
Trioxys pallidus, 6

Nearctic Region, systematics, 371
Nematophagy, Arachnida, 386
arrhenotoky, 386
grassland soil, 386
Neotropical Region, *Banasa*, 28
Pentatomidae, 28
Neotropics, Leptoceridae, 187
Triplectides, 187
Nesomelecta, Anthophoridae, 377
Xeromelecta, 377
Nesting biology, *Larrea tridentata*, 99
Nomadopsis larreae, 99
Neural circuits, auditory processing, 977
noctuid moths, 977
New species, Asilidae, 554
Efferia, 554
Nezara viridula, biological control, 262
parasitoids, 262
Noctuid moths, auditory processing, 977
neural circuits, 977
Nomadopsis larreae, *Larrea tridentata*, 99
nesting biology, 99
Nymphs, pattern recognition, 711

Ootheca, Blattaria, 637
spermatophore, 637
Orientation, Aradidae, 537
behavior, 537
Ostrinia nubilalis, head capsule width, 91
instar discrimination, 91
Ovaries, fenoxycarb, 642
Solenopsis invicta, 642
Oviposition, *Heliothis*, 152
host plants, 938
inheritance, 522
longevity, 938
Microplitis, 152
parasites, 522
Ovipositor, fruit flies, 164
sexual dimorphism, 164

Paracoenia calida, *Ephydra goedeni*, 437
Ephydridae, 437
Parasites, biocontrol, 447
body color, 481
Formicidae, 481
galls, 447
inheritance, 522
oviposition, 522
Parasitism, arrestment, 931
Gracillariidae, 728
leafminer, 728
molt inhibition, 931
Parasitization, *Amyelois* density, 774
Goniozus, 774
Parasitoids, biological control, 262
development, 822
growth, 822
morphology, 516
Nezara viridula, 262
variation, 516
Parental investment, diapause, 467
size, 467
Pastinaca sativa, artificial diet, 485
laboratory rearing, 485
Pattern recognition, nymphs, 711
PENNY, CLIQUE, 560
stonefly, 560
Pedigree, mating behavior, 649
screwworm, 649
Pentatomidae, *Banasa*, 28
Neotropical Region, 28
Perlinella, drumming calls, 19
taxonomy, 19
Pheidologeton silenus, group hunting, 356
raid velocity, 356
Phenology, aestivation, 748
diapause termination, 764
geographical variation, 755
Leptinotarsa decemlineata, 755
photoperiod, 748
photoperiod, 764
Pheromone gland, calling behavior, 798
Manduca sexta, 798
Pheromones, ants, 705
behavior, 362
brood, 705
German cockroach, 362

Phoetaliotes nebrascensis, foliar nitrogen, 240
host selection, 240
Pholetesor ornigis, Eulophidae, 460
Symplesis marylandensis, 460
Photoperiod, aestivation, 748
diapause termination, 764
larval development, 82
Pyractomena lucifera, 82
phenology, 748, 764
Phylogenetics, biology, 605
embryogenesis, 605
Phylogeny, abdominal plaques, 503
tonofibrillae, 503
Physiological ecology, biology, 919
trace element, 919
Phytochemistry, juniper, 742
sexual variation, 742
Pinus, development, 255
slash pine, 255
Pit scale, Coccoidea, 724
Psoralococcus, 724
Planimeter, digitizer, 593
leaf area, 593
Plant resistance, *Frankliniella occidentalis*, 64
Gossypium, 64
Plant-insect interaction, herbivory, 733
leafminer, 733
Plastron, felt chamber, 511
scanning electron microscopy, 511
Platynota stultana, calling behavior, 138
temperature, 138
Plecoptera, acoustics, 528
drumming, 528
Pollen flowers, *Bombus*, 792
foraging behavior, 792
Pollination, *Habropoda*, 419
Vaccinium, 419
Polygyne colonies, competition, 913
Solenopsis invicta, 913
Polyphagidae, Blaberidae, 882
Blattellidae, 882
Blattidae, 882
Cryptocercidae, 882
Population biology, *Collops*, 890
Population dynamics, community ecology, 899
stored products, 899
Predation, Acari, 488
alternate foods, 488
Arachnida, 488
Araneae, 532
mimicry, 532
Predators, biology, 923
damsel bugs, 923
Prolonged diapause, Agavaceae, 547
female-biased sex ratio, 547
Psoralococcus, Coccoidea, 724
pit scale, 724
Pupal parasitoids, house fly, 493
stable fly, 493
Pyractomena lucifera, larval development, 82
photoperiod, 82

Queen pheromones, fenoxycarb, 808
Solenopsis invicta, 808

Races, *Apis mellifera*, 886
introduced populations, 886
Raid velocity, group hunting, 356
Eheidologeton silenus, 356
Reproduction, gonotrophic development, 318
Hypoderma, 318
spermatheca, 777
spermatozoa, 777
Reproductive isolation, *Drosophila koepferae*, 380
genetic distance, 380
Resistance, emergence, 428
trichome, 428

Sand flies, *Culicoides*, 332
Scanning electron microscopy, felt chamber, 511
plastron, 511
Schizaphis graminum, cytogenetics, 128
discriminant analyses, 128
Screwworm, mating behavior, 649
pedigree 649
Sensillum pediconicum, *Corethrella metcalfi*, 400
Sensory physiology, Culicidae, 274
feeding behavior, 274
Sexual dimorphism, fruit flies, 164
ovipositor, 164
Sexual variation, juniper, 742
phytochemistry, 742
Size, diapause, 467
parental investment, 467
Slash pine, development, 255
Pinus, 255
Smokybrown, spatial activity, 581
Solenopsis invicta, competition, 913
fenoxycarb, 642, 808
ovaries, 642
polygyne colonies, 913
queen pheromones, 808
Spatial activity, smokybrown, 581
Spatial distribution, Asian cockroach, 432
habitats, 432
Spermatheca, reproduction, 777
spermatozoa, 777
Spermatophore, Blattaria, 637
ootheca, 637
Spermatozoa, fertilization, 71
Heteroceridae, 71
reproduction, 777
spermatheca, 777
Spodoptera frugiperda, defensive gland, 308
ventral eversible gland, 308
Stable fly, house fly, 493
pupal parasitoids, 493
Stonefly, CLIQUE, 560
PENNY, 560
Stored corn, efficiency, 449
energy budget, 449
Stored products, community ecology, 899
population dynamics, 899
Stored-product Coleoptera, age structure, 539
modeling, 539
Substage illumination device, *Apis mellifera*, 700
honey bees, 700
Superparasitism, *Anastrepha suspensa*, 233
Biosteres longicaudatus, 233
Survival, Aphididae, 245
Aphis gossypii, 950
Geocoris punctipes, 278
Gossypium hirsutum, 950
habitat selection, 245
Telenomus reynoldsi, 278
Suspension feeding, Culicidae, 105
larvae, 105
Symplesis marylandensis, Eulophidae, 460
Pholetesor ornigis, 460
Systematics, Acari, 209
Arachnida, 209
biology, 851
classification, 851
manure mite, 209
Nearctic Region, 371
taxonomy, 851

Taxonomy, biochemical genetics, 174
biology, 851
Catocala, 10
chemosystematics, 395
chromatography, 395
classification, 851
drumming calls, 19
heterozygosity, 174
internal reproductive tract, 10
Perlinella, 19
systematics, 851
Telenomus podisi, intraspecific host discrimination, 1017
Trissolcus euschisti, 1017
Telenomus reynoldsi, *Geocoris punctipes*, 278
survival, 278
Temperature, calling behavior, 138
development, 252
Listronotus texanus, 252
Platynota stultana, 138
Tenebrionidae, darkling beetles, 782
dietary niches, 782
Tephritidae, *Anastrepha*, 994, 1004
immatures, 994, 1004
Thermoperiod, *Agrotis ipsilon*, 964
cutworm, 831
diapause, 964
dormancy, 831
Thistle, biological control, 225
Cheilosia corydon, 225
Time budget, behavior, 682
corn earworm, 682
Tonofibrillae, abdominal plaques, 503
phylogeny, 503
Trace element, biology, 919
physiological ecology, 919
Trichome, emergence, 428
resistance, 428
Trioxys pallidus, aphid parasites, 6
Myzocallis coryli, 6
Triplectides, Leptoceridae, 187
Neotropics, 187
Trissolcus euschisti, intraspecific host discrimination, 1017
Telenomus podisi, 1017

Vaccinium, *Habropoda*, 419
pollination, 419
Variation, morphology, 516
parasitoids, 516
Ventral eversible gland, defensive gland, 308
Spodoptera frugiperda, 308

Wheatgrass, grass bug, 599
wildrye, 599
Wildrye, grass bug, 599
wheatgrass, 599
Wing innervation, *Heliothis zea*, 986
motoneurons, 986
Wing morphology, Hymenoptera, 342
mimicry, 342

Xeromelecta, Anthophoridae, 377
Nesomelecta, 377